


i-vac 5b[®]

Continuously
easy



Small in size Big on power

The i-vac 5B is a powerhouse machine that gets the job done. A well trusted name in the community, The i-vac 5B has surprised every user with its proven mobility, design and power. The i-vac 5B is used for offices, carpet cleaning, households, cabinets, wardrobes, and much more.



High powered engine

High powered motor reaches about 80% (indication) of the suction power that cable operated vacuums use, without the strain of being tied down to one place.

Key features

Canister & more

Egg shaped canister for optimal working in smaller areas and close-to-body carrying. Equipped with a lighted on/off switch, so that you can easily troubleshoot over the phone in case of power failures or any other technical difficulties. Also includes a detachable power cord.



Bag with lock

5 liter bag volume with a lock to avoid dust leakage when taking out the bag. You can choose between a paper bag, or a microfiber bag.



Integrated tool holders

All of the accessories and necessary equipment supplied with the machine can be stored on the machine.



Carry-on everywhere

A sturdy and ergonomic main handle provides a freedom of mobility you haven't experienced before. The i-vac 5 goes wherever you go!



3 piece wand & flexible hose

Double extrusion for extra stability at both ends, as they are the most stressed areas.





i-brush

In need of some extra power to get the job done? Dirt and dust disappear with the revolving brushes inside our power nozzle.

- On and off control at your fingertips
- Height adjustment with the pedal
- LED lighting for working area
- Telescopic wand with integrated cable and hose

Technical Specs

Voltage	DC 24v
Weight	6.0 kg
Power (Watt)	180 W
Material	PP
Sound level	50 dB
Diameter of access	32 mm
Cleaning width	300 mm

Technical specifications

Carry weight	5.2 kg
Size body (l x w x h)	38 x 33 x 38 cm
Hose length	180 cm
Capacity	5 L
Diameter of tools	32 mm
Sound level	62 dBA 63 dBA
Water lift/suction	1800 mm
Air flow	40 L/sec
Application	Indoor, dry
Power source	i-power 9 or 14*
Battery spec i-power 9	24 V 8.8 Ah
Battery spec i-power 14	25.2 V 14 Ah
Run time i-power 9	30 minutes
Run time i-power 14	40 minutes
Charger type	Off-board
Charger	110-240V, 50/60Hz
Material machine	PP

* Battery choice is i-power 9 or 14 depending on your needs. Batteries and charger can be ordered separately.



V1.02-2018091.1

i-teamglobal.com

i-team Global HQ

Hoppenkuil 27B • 5626DD Eindhoven • The Netherlands • +31 40 266 24 50 • hello@i-teamglobal.com